

FILE NO: *AC 17, N 29*
SCIENTIFIC ARCHIVES
PACIFIC BIOLOGICAL STATION

Yearling Sockeye
- Notes -
- 1947



1947 - Fisheries Research Board
Labasa Laba

Sokoqa Keating Observations
and Notes, including
Experimental Studies

Pedantic showed a fair view
school coming down to the
and exhibiting a primary fear
to move past the surface of
there.

Metereological Observations and Notes in relation to Reeling
Sockeye Migration - 1947

The general weather conditions of April in 1947 were very similar to those of April 1946 in that prevailing south to east winds with rain and heavy overcast periods throughout the month.

The conditions in May have been strikingly different in 1947 from those in 1946 and showed provide interesting comparison. This year the weather has persisted in being dry, windy, raining and cooling in periods of any length of the calm sunny conditions of 1946.

Run 8 made in morning

12:30 - 6/10 - Average S 1 | weight sun

13:30 - 4/10 - N-R-3

15:30 - 3/10 - N - R quality

17:30 - 2/10 - N - R | weight sun

Run 8 made afternoon

21:00 - 6/10 - N - R-3

8:00 - 10/10

8:30 - 9/10

most on number

high Red Humidity

break in clouds

Wind SW - W at 1-2

9:30 - 7/10

circulating rapidly

River - S - 1

sun breaking through

14:30 - 4/10

Warm sun

no wind on river

1 at mouth?

2 on side?

Experiments

① Concerning marked fish and
compared the mortality
between Productoris heads of
these.
In 1000 fish were marked and
put over the mortality to follow
in 1000. Here there was food
and might will considerable
mortality